BiomedME.COM
Middle East Healthcare Intelligence

I want to..

Jobs

Biomedme.com the # 1 healthcare portal for the Middle East has teamed with the #1 recruitment portal to bring you the best jobs in healthcare in the GCC countries. For Free up load of your CV and career information and advice click here

News Categories

- Biomed Articles
- Care Area
- Healthcare IT
- Imaging
- Telemedicine
- Lab Medicine
- Infection Control
- Physiotherapy & Rehabilitation
- Pharmaceuticals
- Medical Tourism
- Qatar
- Bahrain

- Innovations & Advances
- Regional News
- Healthcare Reports
- Conferences and Events
- Biomed Company News
- Business Middle East
- General
- Health Care
- Healthcare Middle East
- Hospital News
- Saudi Arabia
- United Arab Emirates

- Industry Leader Interviews
- International Biomed
- Medical Conferences
- New Devices
- Iraq
- Jordan
- Kuwait
- Lebanon
- Oman
- Yemen
- Tenders
- Upcoming Courses

An ISET Healthcare portal for medical professionals in the Middle East
Tuesday 25th January 2011

Biomedme.com Google Wikipedia Medical Dictionary
Search

Temporal gating can form basis for selecting alternative options in brain

Written By: sara on November 26, 2010 0

In every waking minute, we have to make decisions – sometimes within a split second. Neuroscientists at the Bernstein Center Freiburg have now discovered a possible explanation how the brain chooses between alternative options. The key lies in extremely fast changes in the communication between single nerve cells.

The traffic light changes from green to orange – should I push down the accelerator a little bit further or rather hit the brakes? Our daily lives present a long series of decisions we have to make, and sometimes we only have a split second at our disposal. Often the problem of decision-making entails the selection of one set of brain processes over multiple others seeking access to same resources.

Several mechanisms have been suggested how the brain might solve this problem. However, up to now, it is a mystery what exactly happens when during a rapid choice between two options.

In the current issue of the "Journal of Neuroscience", Jens Kremkow, Arvind Kumar, and Ad Aertsen from the Bernstein Center Freiburg propose a mechanism how the brain can choose between possible actions – already at the level of single nerve cells.

As the structure and activity of the brain are just too complex to answer this question through a simple biological experiment, the scientists constructed a network of neurons in the computer. An important aspect of the model in this context is the property of nerve cells to influence the activity of other nerve cells, either in an excitatory or inhibitory manner.

In the constructed network, two groups of neurons acted as the senders of two different signals. Further downstream in the network, another group of neurons, the "gate" neurons, were to control which of the signals would be transmitted onward.

As the cells within the network were connected both with exciting and inhibiting neurons, the signals reached the gate as excitatory and, after a short delay, inhibitory activity.

In their simulations, the scientists found that the key for the gate neurons' "decision" in favour of one signal over the other was the time delay of the inhibitory signal relative to the excitatory signal. If the delay was set to be very small, the activity of the cells in the gate was quenched too quickly for the signal to be propagated.

Conversely, a larger delay caused the gate to open for the signal. Results from neurophysiological experiments have already shown that a change in delay properties is possible in real neurons.

These findings therefore support the hypothesis of Kremkow and colleagues that such temporal gating can form the basis for selecting one of several alternative options in our brain.

Source: Bernstein Center Freiburg

Have your say:

You must be logged in to add your Say.

More about this from BIOMEDME.COM



Temporal gating can form basis for selecting



Do "Traffic Lights" In The Brain Direct Our



Gene Linked To ADHD Allows Memory Task To



Brain tumor patients use alternative

alternative options in brain
In every waking minute, we have to make decisions - sometimes within a split second. Neuroscientists...

Actions?
In every waking minute, we have to make decisions sometimes within a split second. Neuroscientists at...

Be Interrupted By Brain Regions Tied To Daydreaming
Neuroscientists at Georgetown University Medical Center (GUMC) say brain scans show that a gene nominally...

therapies like vitamins and homeopathy to support conventional therapy
Many people with incurable brain tumors use alternative therapies, such as taking vitamins and homeopathy,...

Grab This Widget

Monthly Archives **Recent Comments** **Rss**

Popular Topics

arab health arabhealth2010 breast cancer cancer digital ehr EMR evidence based medicine ge healthcare h1n1 HIS HIT HMIS hospital medica2009 morphine obesity painkillers saudi healthcare saudi medicare Saudi Medicare 2010 stem cell stem cell research swine flu teleradiology uk medical device companies Vision-X women health world health day

Recent Comments

- Moran on Kuwait – Alternative medicine hospital approved
- hana on Al Amal centre pioneers new cancer therapy
- al on Kuwait celebrates World Autism Awareness Day